

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	20-05-2026 14:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	20-05-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Power
विभाग का नाम / Department Name	Sjvn Limited
संगठन का नाम / Organisation Name	Sjvn Limited
कार्यालय का नाम / Office Name	Njhps Sjvn Jhakri Hp 172201
कुल मात्रा / Total Quantity	368

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Contactor Power 3RT1065 Coil voltage 220V ACDC with 2NO2NC Aux Contacts , Contactor Power 3TF53 Coil voltage 230V AC with 2NO2NC Aux Contacts , Contactor Power 3TF50 Coil voltage 230V AC with 2NO2NC Aux Contacts , Contactor Power 3RT2037 1NE30 65 Amp Coil voltage 48V DC with 1NO1NC Aux Contacts , Contactor Power 3TF32 Coil voltage 230V AC , Contactor Power 3RT20351AL20 Coil voltage 230V AC with 1NO1NC Aux Contacts , MCCB 3VA14635EE320AA0 630 Amp , Relay Bimetal 3UA5800 2VZ1 57 to 70 AMP , Timer 3RP15051AW30 0.05 SEC to 100 Hrs 24 240V DCAC , Timer 3RP1525 1BW30 8K 0.05 SEC to 100 Hrs 24 240V DCAC , 5SL42027RC 2A 2P MCB , MCB 5SL44407RC 40AMP 4PTPN , Contactor Aux 3TH 3040 OARO , Phase failure monitoring relay 3UG5512 1AR20 , Relay 3UA 5000 0.8 to 1.25 , Contactor 3TH3040 0APO 230V AC , Contactor AUX 3TH3022 0APO 230V AC , Contactor AUX 3TH3022 0BM4 COIL VOLTAGE 220VAC , Contactor AUX 3TH3022 0BM4 220V DC , Over load Relay 50 to 200 Amp , Contactor AUX 3RH2140 1AP008K 230V AC , Contactor Power 3RT2037 1NP30 65 Amp Coil voltage 220V DC , Power Contactor 3RT1054 48V DC , Power Contactor 3RT 1054 220V DCAC , MCCB 3VM1116 5EE32 0AAO 160 Amp , MCCB 3VM1220 5EE32 0AAO 200 Amp , Thermal Overload Relay 3RU2156 5EW10 8K 140 200 Amp , 3KL8221 5TA10 SFU 125 Amp , MCCB 3VM1220 4EE32 0AAO 200 Amp , 3NA78320RC HRC FUSE 125A HRC TYPE VSB SIZE 00 , Contactor 3RT1055 6AP36 200 220V ACDC with 2NO2NC contact block , Position switch Metal enclosure 40 mm Device connection 1x M20 x 1.5 1 NO 1 NC Rotary actuator right left adjustable with adjustable length Metal lever 100 mm long and Stainless steel roller 19 mm , Analog adjustment monitoring relay phase failure phase sequence asymmetry and under voltage monitoring 3x 160 690 V AC 15 70 Hz 2 changeover contacts screw terminal , POWER CONTACTOR 3RT2024 1BM40 AC 3 12 A 5.5 kW 400 V 1 NO 1 NC 220 V DC , Auxiliary Switch transverse 3RV2901 1E 1NO1NC , Signalling cont block model 3VU9131 7AAOO , Auxiliary block 3RV2901 1A 1NO1NC , MPCB 3RV2011 1EA10 2.8 4Amps with Aux Block , MPCB 3RV2011 1JA20 7 10Amps with Aux Block , FIXED AND MOVING CONTACT FOR 3TF4702 0MB4ZA01 KIT 3TY7 470 0YA , MPCB 3RV2031 4EA10 22 32A , SENTRON Switch discon 3LD main switch 3 pole 32 A power at 400 V 11.5 kW , MCB single pole 5SL4104 7RC 4A , MCB single pole 5SL4106 7RC 6A , Auxiliary Block 5ST3010AS 1NO1NC For MCB , MCB 5SL52047RC 2POLE 400VDC 4A , Power Contactor 3RT2037 1NP30 with 1NO1NC block and with Add on block 2NO2NC 3RH29111HA22 , 3RT2026 1AG20 Power contactor 25 A 1NO 1NC coil 110 V AC 50 60 Hz , 3RT2025 1AG20 Power contactor 17 A NO 1 NC coil 110 V AC 50 60 Hz , 3TF3110 0AFO Contactor 12 A AC 3 110 V , 3RH21221AFOO Contactor relay 2 NO 2 NC 110 VAC , 3TF4602 0APOZA01 2 nos 3TY7561 1KA008k Coil Voltage 230V AC TP Air Break contractor 45A Coil 230V 4NO4NC , 3TF3400 0APO 2 nos 3TX4010 2A 3TX4001 2A Coil Voltage 230V AC Top Mounted Block 2NO2NC TP Air Break contractor 32A Coil 230V 2NO2NC , 3TF3200 0APO 2 nos 3TX4010 2A 3TX4001 2A Coil Voltage 230V AC Top Mounted Block 2NO2NC TP Air Break contractor 16A Coil 230V 2NO2NC , 3TH3031 0APO 4 nos 3TX4010 2A Coil Voltage 230V AC Top Mounted Block 7NO1NC Aux contractor 10A Coil 230V 7NO1NC

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Power Contactor, Coil voltage- 220V AC/DC with 2NO+2NC Aux. Contacts, Power Contactor Coil voltage- 230V AC with 2NO+2NC Aux. Contacts, Power Contactor, Coil voltage- 230V AC with 2NO+2NC Aux. Contacts, Power Contactor, 65 Amp. Coil voltage- 48V DC, with 1NO+1NC Aux. Contacts, Power Contactor, Coil voltage- 230V AC, Power Contactor, Coil voltage- 230V AC, with 1NO+1NC Aux. Contacts, MCCB , 630 Amp, Relay Bimetal (57 to 70 Amp), Timer , 0.05 SEC to 100 Hrs, 24-240V DC/AC, Timer 3RP1525-1BW30-8K, 0.05 SEC to 100 Hrs, 24-240V DC/AC, MCB, 2A , 2P, MCB , 40AMP, 4PTPN, Contactor Aux 3TH 3040- OARO, Phase failure monitoring relay,, Relay 3UA 5000 (0.8 to 1.25), Contactor 3TH3040-OAPO, 230V AC, Contactor (AUX) 3TH3022-OAPO, 230V AC, Contactor (AUX) 3TH3022-0BM4 COIL VOLTAGE 220VAC, Contactor (AUX) 3TH3022-0BM4, 220V DC, Over load Relay 50 to 200 Amp, Contactor (AUX) 3RH2140-1AP008K, 230V AC, Contactor (Power), 3RT2037-1NP30, 65 Amp. Coil voltage- 220V DC, Power Contactor 3RT1054 (48V DC), Power Contactor 3RT 1054 (220V DC/AC), MCCB 3VM1116-5EE32-0AA0, 160 Amp, MCCB 3VM1220-5EE32-0AA0, 200 Amp, Thermal Overload Relay 3RU2156-5EW10-8K, 140-200 Amp, 3KL8221-5TA10 SFU 125 Amp, MCCB 3VM1220-4EE32-0AA0, 200 Amp, HRC FUSE, 125A, HRC TYPE, VSB SIZE 00, Contactor 3RT1055-6AP36, 200-220V AC/DC, with 2NO+2NC contact block, Position switch Metal enclosure 40 mm, Analog adjustment monitoring relay phase failure, phase sequence, asymmetry and under-voltage monitoring 3x 160-690 V AC, 15-70 Hz 2 changeover contacts screw terminal, POWER CONTACTOR, AC-3, 12 A, 5.5 kW / 400 V, 1 NO + 1 NC, 220 V DC, Auxiliary Switch transverse 3RV2901-1E, 1NO+1NC, Signalling cont.block model, Auxiliary block 3RV2901-1A, 1NO+1NC, MPCB 3RV2011-1EA10, 2.8-4Amps with Aux Block, MPCB , 7-10Amps with Aux Block, FIXED AND MOVING CONTACT FOR 3TF4702-0MB4ZA01 KIT-3TY7-470-0YA, MPCB 3RV2031-4EA10, 22-32A, SENTRON, Switch disconnecter 3LD, main switch, 3- pole, lu: 32 A, Operating power / at AC-23 A at 400 V: 11.5 kW, MCB single pole 5SL4104-7RC, 4A, MCB single pole 5SL4106-7RC, 6A, Auxiliary Block 5ST3010AS, 1NO+1NC For MCB, MCB 5SL52047RC 2POLE, 400VDC, 4A, Power Contactor 3RT2037-1NP30 with 1NO+1NC block and with Add on block 2NO+2NC, Power contactor, 25 A, 1NO+ 1NC, coil 110 V AC, 50 / 60 Hz, Power contactor, 17 A, NO + 1 NC, coil 110 V AC, 50 / 60 Hz, Contactor, 12 A, AC-3, 110 V, Contactor relay, 2 NO + 2 NC, 110 VAC, TP Air Break contractor, Coil Voltage: 230V AC, 45A, Coil 230V 4NO+4NC, TP Air Break contractor, Coil Voltage: 230V AC, Top Mounted Block 2NO+2NC, 32A, Coil 230V 2NO+2NC, TP Air Break contractor, Coil Voltage: 230V AC, Top Mounted Block 2NO+2NC, 16A, Coil 230V 2NO+2NC, Coil Voltage: 230V AC, Top Mounted Block 7NO+1NC, Aux contractor, 10A, Coil 230V, 7NO+1NC Searched String: Power Contactor, Coil voltage- 220V AC/DC with 2NO+2NC Aux. Contacts Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II)

बिड विवरण/Bid Details	Searched String: Power Contactor Coil voltage- 230V AC with 2NO+2NC Aux. Contacts
	Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II) Searched String: Power Contactor, Coil voltage- 230V AC with 2NO+2NC Aux. Contacts Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II) Searched String: Power Contactor,65 Amp. Coil voltage- 48V DC, with 1NO+1NC Aux. Contacts Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445 Searched String: Power Contactor, Coil voltage- 230V AC Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), AC Voltage Transducer (V2), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774 Searched String: Power Contactor,Coil voltage- 230V AC, with 1NO+1NC Aux. Contacts Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445 Searched String: MCCB , 630 Amp Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Audio Amplifier (V3), Amphoteracin B Injection (V2), Audio Amplifier (V3) (under BIS Scheme - II), AMPICILLIN INJECTION, Glass Ampoule Breaker, Speaker (V3), AMPICILLIN Searched String: Relay Bimetal (57 to 70 Amp) Digital VHF Repeater Set as per MHA QR Searched String: Timer , 0.05 SEC to 100 Hrs, 24-240V DC/AC Category not available on GeM for the text string uploaded by the buyer Searched String: Timer 3RP1525-1BW30-8K, 0.05 SEC to 100 Hrs, 24-240V DC/AC Hydrochloric Acid (V3) Conforming to IS 265, Flat Cable,

बिड विवरण / Bid Details	Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694
	Searched String: MCB, 2A , 2P Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Signal/ Triad Cable, Sofa (V3), Desk and Bench Set for Classroom/Training Area, Multipara Monitor - Low End, High End Desktop Computer, Flying Insect Control Traps - Fly Catcher Searched String: MCB , 40AMP, 4PTPN Circuit Breakers for DC Operation, Saline Stand (V2), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Ostomy Collection Bags (V2), Blood Collection Tube, Posterior Chamber Intraocular Lens (PCIOL), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 Searched String: Contactor Aux 3TH 3040- OARO Vacuum Contactor, Air Break Contactors Searched String: Phase failure monitoring relay, Voltage Monitor Relay, Relay Testing Educational Kit, Line Monitoring Relay- Netural Loss, Single phasing preventer Relay (SPPR) Searched String: Relay 3UA 5000 (0.8 to 1.25) Electronic Weighing Scales, Non Sparking Hammers (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Line Interactive UPS with AVR (V2), Muffle/Box Furnace (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 Searched String: Contactor 3TH3040-0APO, 230V AC Electronic Weighing Scales, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Line Interactive UPS with AVR (V2), Digital pH Meter, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core

बिड विवरण / Bid Details	Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, traffic signs - bilinker light
	Searched String: Contactor (AUX) 3TH3022-0APO, 230V AC Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Digital pH Meter, AC Voltage Transducer (V2), Shaping Machine, Analog-Digital Circuits Development Platform, Hydrochloric Acid (V3) Conforming to IS 265, Line Interactive UPS with AVR (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: Contactor (AUX) 3TH3022-0BM4 COIL VOLTAGE 220VAC Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), HT Tape, Blood Collection Tube Searched String: Contactor (AUX) 3TH3022-0BM4, 220V DC DC Motor Armature Reversing Contactor-BHEL, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), DC Anvil (OFB), Power Factor Meter - Digital, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Hydrochloric Acid (V3) Conforming to IS 265, Crepe Bandage Conforming to IS 4605, Line Interactive UPS with AVR (V2) Searched String: Over load Relay 50 to 200 Amp Digital VHF Repeater Set as per MHA QR, Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), Wooden Packing Cases, Digital pH Meter, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Micro/Semi-Micro/Analytical weighing balance, Forged Shackles for General Lifting Purpose (V2) Conforming to IS/ISO 2415, Classroom Stools Searched String: Contactor (AUX) 3RH2140-1AP008K, 230V AC Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Power Factor Meter - Digital, Shaping Machine, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Frequency meter - Analog (Panel Meter), Hydrochloric Acid (V3) Conforming to IS 265, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615 Searched String: Contactor (Power), 3RT2037-1NP30, 65 Amp. Coil voltage- 220V DC

बिड विवरण / Bid Details	Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Power Contactor 3RT1054 (48V DC) DC Motor Armature Reversing Contactor-BHEL, DC Regulated Power Supply As Per MHA QRs, Vacuum Contactor, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Electrical Power Connector, Solar Based Home Systems (Solar Power Packs): DC Models as per MNRE Specifications, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), traffic signs - bilinker light
	Searched String: Power Contactor 3RT 1054 (220V DC/AC) DC Regulated Power Supply As Per MHA QRs, Power Factor Meter - Digital, Shaping Machine, Computer Power Cord, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications
	Searched String: MCCB 3VM1116-5EE32-0AA0, 160 Amp Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Electronic Weighing Scales, Hydrochloric Acid (V3) Conforming to IS 265, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Tissue Homogenizer, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694
	Searched String: MCCB 3VM1220-5EE32-0AAO, 200 Amp Audio Amplifier (V3) (under BIS Scheme - II), Electronic Weighing Scales, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Micro/Semi-Micro/Analytical weighing balance, PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Hydrochloric Acid (V3) Conforming to IS 265, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Muffle/Box Furnace (V2)
	Searched String: Thermal Overload Relay 3RU2156-5EW10-8K, 140-200 Amp Overload Relay, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: 3KL8221-5TA10 SFU 125 Amp XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), true rms clamp meter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with

बिड विवरण/Bid Details	Rigid Conductor (V2) ISI Marked To IS 694, Locking Compression Plates (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Line Interactive UPS with AVR (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Bone Screw (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) Searched String: MCCB 3VM1220-4EE32-0AAO, 200 Amp Audio Amplifier (V3) (under BIS Scheme - II), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Electronic Weighing Scales, Micro/Semi-Micro/Analytical weighing balance, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Plotter Printers (V2) Searched String: HRC FUSE, 125A, HRC TYPE, VSB SIZE 00 HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2) Searched String: Contactor 3RT1055-6AP36, 200-220V AC/DC, with 2NO+2NC contact block PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Position switch Metal enclosure 40 mm modular electrical enclosure switch board boxes for modular type accessories, Industrial Switch, Grinding Media Balls as per IS 6079 Searched String: Analog adjustment monitoring relay phase failure, phase sequence, asymmetry and under-voltage monitoring 3x 160-690 V AC, 15-70 Hz 2 changeover contacts screw terminal Category not available on GeM for the text string uploaded by the buyer Searched String: POWER CONTACTOR, AC-3, 12 A, 5.5 kW / 400 V, 1 NO + 1 NC, 220 V DC Category not available on GeM for the text string uploaded by the buyer Searched String: Auxiliary Switch transverse 3RV2901-1E, 1NO+1NC Aerial Bunched Cables as per IS 14255, Electrical Extension Box (V4), Line Interactive UPS with AVR (V2), Layer - 3 Core Switch, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, Emergency Push Button Switch, Extendable Road Barricade (V2)
-----------------------	---

बिड विवरण/Bid Details	Searched String: Signalling cont.block model
	Breast Examination Model, Lyophilizer, Anatomy Structure Model (V3), Secondary Stage Molecular Model Kit (NCERT), Recirculating chiller, Cerebral Palsy Chair (Institutional Model), Commercial Idli Steamer, Cerebral Palsy Chair (Domestic Model), Self Priming Pump Conforming To IS 5120, Gynaecology Patient Education Model (V2) Searched String: Auxiliary block 3RV2901-1A, 1NO+1NC Nitrile Coated/Nitrile Hand Gloves (V2), BOX TOOLS 1A(OFB-DEFENCE), Multipara Monitor - Low End, Dry Block Heater, High End Desktop Computer, Sofa (V3), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Mobile Storage Compactors, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Entry and Mid Level Desktop Computer Searched String: MPCB 3RV2011-1EA10, 2.8-4Amps with Aux Block PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, shoes school pvc boys girls, Great Coat Short with Hood Conforming to Defence Specification, Digital Light Meter, Portable Toilet, Screw Compressor, Cardiopulmonary Bypass Connectors (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2) Searched String: MPCB , 7-10Amps with Aux Block Lactose TTC Agar with Tergitol 7, Endotracheal Tube - Sterile (Single Use), Cable Lug for PZU-7 without surface treatment (Defence), Root Trainers Tray / Germination Tray (Block Type), Building Blocks for Kids (V3), Non Sparking Combination Spanners (V2), Electronic Clock with Mains Power, Blockchain_Fintech Ver 2.0, Non Sparking Double Ended Ring Spanner (V2), Weightlifting Discs Searched String: FIXED AND MOVING CONTACT FOR 3TF4702-0MB4ZA01 KIT-3TY7-470-0YA Category not available on GeM for the text string uploaded by the buyer Searched String: MPCB 3RV2031-4EA10, 22-32A Dimilin 22 SC, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Motor Protection Circuit Breaker (MPCB), File/Folder (V3), Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Lime Sulphur 22% SC (Suspension Concentrate), Customs Declaration Form (CN - 22 and CN - 23), Sodium Azide, Chromotropic acid disodium salt dihydrate, Cobalt (II) nitrate hexahydrate Searched String: SENTRON, Switch disconnecter 3LD, main switch, 3- pole, lu: 32 A, Operating power / at AC-23 A at 400 V: 11.5 kW Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	Searched String: MCB single pole 5SL4104-7RC, 4A
	Octagonal Pole (V2), Metal Oxide Gap-less (ZnO) Type Surge Arrestor (BHEL), shoes school pvc boys girls, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastic Bandage Conforming to IS 16111, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Two Wheeler - Motorcycle, Scooter and Moped (V2), Industrial Siren / Electrical Siren Searched String: MCB single pole 5SL4106-7RC, 6A Octagonal Pole (V2), Metal Oxide Gap-less (ZnO) Type Surge Arrestor (BHEL), shoes school pvc boys girls, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, boot ankle for marching purpose double density pu sole, Optical Storage Media Searched String: Auxiliary Block 5ST3010AS, 1NO+1NC For MCB XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Alphabet Block Set / Number Block Set (Preschool Kit), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Circuit Breakers for DC Operation, Sheet Barrack (Polyester Cotton) and Sheet Hospital (100% Cotton) (IAF), Polycarbonate Lathi (MHA), Hard Wood as per IS 1331, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Theft Proof Rifle Racks Searched String: MCB 5SL52047RC 2POLE, 400VDC, 4A Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), water baths, Band Saw Machine, File/Folder (V3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Rotary Evaporator Searched String: Power Contactor 3RT2037-1NP30 with 1NO+1NC block and with Add on block 2NO+2NC Blockchain_Fintech Ver 2.0, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Vacuum Contactor, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Add on GATEWAYS and Accessories for PABX System,

बिड विवरण / Bid Details	PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Portable Toilet, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694
	Searched String: Power contactor, 25 A, 1NO+ 1NC, coil 110 V AC, 50 / 60 Hz Category not available on GeM for the text string uploaded by the buyer Searched String: Power contactor, 17 A, NO + 1 NC, coil 110 V AC, 50 / 60 Hz Category not available on GeM for the text string uploaded by the buyer Searched String: Contactor, 12 A, AC-3, 110 V traffic signs - bilinker light, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Shaping Machine, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Bond Paper (V3) Conforming to IS 1848 (Part 1), Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Line Interactive UPS with AVR (V2), Cotton Bandage Cloth Conforming to IS 863 Searched String: Contactor relay, 2 NO + 2 NC, 110 VAC Category not available on GeM for the text string uploaded by the buyer Searched String: TP Air Break contractor, Coil Voltage: 230V AC, 45A, Coil 230V 4NO+4NC Category not available on GeM for the text string uploaded by the buyer Searched String: TP Air Break contractor, Coil Voltage: 230V AC, Top Mounted Block 2NO+2NC, 32A, Coil 230V 2NO+2NC Category not available on GeM for the text string uploaded by the buyer Searched String: TP Air Break contractor,Coil Voltage: 230V AC, Top Mounted Block 2NO+2NC, 16A, Coil 230V 2NO+2NC Anklet Web as per IAF specification Searched String: Coil Voltage: 230V AC, Top Mounted Block 7NO+1NC, Aux contractor, 10A, Coil 230V, 7NO+1NC Category not available on GeM for the text string uploaded by the buyer

बिड विवरण / Bid Details	Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR) • CONTACTOR RELAY
बीओक्यू शीर्षक /BOQ Title	Siemens make Components
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	MCCB 3VA14635EE320AA0 630 Amp
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	2232166
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No

बिड विवरण/Bid Details											
सुलह खंड/Mediation Clause	No										
ईएमडी विवरण/EMD Detail											
एडवाइजरी बैंक/Advisory Bank	State Bank of India										
ईएमडी राशि/EMD Amount	44643										
ईपीबीजी विवरण /ePBG Detail											
एडवाइजरी बैंक/Advisory Bank	State Bank of India										
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00										
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14										
(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy. (b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable. लाभार्थी /Beneficiary : DGM Njhps Sjn Jhakri Hp 172201, SJVN Limited, SJVN Limited, Ministry of Power (F And A Deptt., Njhps,jhakri) बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied. एमआईआई खरीद वरीयता/MII Purchase Preference <table border="1"> <tr> <td>एमआईआई खरीद वरीयता/MII Purchase Preference</td> <td>No</td> </tr> </table> एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII <table border="1"> <tr> <td>सक्षम प्राधिकारी का नाम/Name of Competent Authority</td> <td>As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India</td> </tr> <tr> <td>सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority</td> <td>As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India</td> </tr> <tr> <td>सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority</td> <td>As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India</td> </tr> <tr> <td>सीए अनुमोदन संख्या/CA Approval Number</td> <td>F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024</td> </tr> </table>		एमआईआई खरीद वरीयता/MII Purchase Preference	No	सक्षम प्राधिकारी का नाम/Name of Competent Authority	As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India	सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India	सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India	सीए अनुमोदन संख्या/CA Approval Number	F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024
एमआईआई खरीद वरीयता/MII Purchase Preference	No										
सक्षम प्राधिकारी का नाम/Name of Competent Authority	As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India										
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India										
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	As per order no. F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024 of Govt. of India										
सीए अनुमोदन संख्या/CA Approval Number	F.12/17/2019-PPD dtd 29.10.20 & P-45201/2/2017-PP dtd. 19.07.2024										

सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	19-07-2024
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	as per clause 4A of order no. P-45201/2/2017-PP, spares and consumables with OEM/OES shall be exempted from MII order

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1+15\%$ (Selected by Buyer) of margin of purchase preference / price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Contactor Power 3RT1065 Coil Voltage 220V ACDC With 2NO2NC Aux Contacts

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Contactor Power 3TF53 Coil Voltage 230V AC With 2NO2NC Aux Contacts

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	1	60

Contactor Power 3TF50 Coil Voltage 230V AC With 2NO2NC Aux Contacts

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Contactor Power 3RT2037 1NE30 65 Amp Coil Voltage 48V DC With 1NO1NC Aux Contacts

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Contactor Power 3TF32 Coil Voltage 230V AC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	8	60

Contactor Power 3RT20351AL20 Coil Voltage 230V AC With 1NO1NC Aux Contacts

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	3	60

MCCB 3VA14635EE320AA0 630 Amp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Relay Bimetal 3UA5800 2VZ1 57 To 70 AMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	3	60

Timer 3RP15051AW30 0.05 SEC To 100 Hrs 24 240V DCAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Timer 3RP1525 1BW30 8K 0.05 SEC To 100 Hrs 24 240V DCAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	45	60

5SL42027RC 2A 2P MCB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	10	60

MCB 5SL44407RC 40AMP 4PTPN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	5	60

Contactor Aux 3TH 3040 OARO

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	4	60

Phase Failure Monitoring Relay 3UG5512 1AR20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Relay 3UA 5000 0.8 To 1.25

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	3	60

Contactor 3TH3040 0APO 230V AC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	6	60

Contactor AUX 3TH3022 0APO 230V AC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	10	60

Contactor AUX 3TH3022 OBM4 COIL VOLTAGE 220VAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	10	60

Contactor AUX 3TH3022 OBM4 220V DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Over Load Relay 50 To 200 Amp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	1	60

Contactor AUX 3RH2140 1AP008K 230V AC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Contactor Power 3RT2037 1NP30 65 Amp Coil Voltage 220V DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	5	60

Power Contactor 3RT1054 48V DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

Power Contactor 3RT 1054 220V DCAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	3	60

MCCB 3VM1116 5EE32 0AAO 160 Amp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

MCCB 3VM1220 5EE32 0AAO 200 Amp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	3	60

Thermal Overload Relay 3RU2156 5EW10 8K 140 200 Amp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

3KL8221 5TA10 SFU 125 Amp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	3	60

MCCB 3VM1220 4EE32 0AAO 200 Amp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	3	60

3NA78320RC HRC FUSE 125A HRC TYPE VSB SIZE 00

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	10	60

Contactor 3RT1055 6AP36 200 220V ACDC With 2NO2NC Contact Block

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	1	60

Position Switch Metal Enclosure 40 Mm Device Connection 1x M20 X 1.5 1 NO 1 NC Rotary Actuator Right Left Adjustable With Adjustable Length Metal Lever 100 Mm Long And Stainless Steel Roller 19 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	5	60

Analog Adjustment Monitoring Relay Phase Failure Phase Sequence Asymmetry And Under Voltage Monitoring 3x 160 690 V AC 15 70 Hz 2 Changeover Contacts Screw Terminal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	6	60

POWER CONTACTOR 3RT2024 1BM40 AC 3 12 A 5.5 KW 400 V 1 NO 1 NC 220 V DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	6	60

Auxiliary Switch Transverse 3RV2901 1E 1NO1NC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	40	60

Signalling Cont Block Model 3VU9131 7AA00

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	20	60

Auxiliary Block 3RV2901 1A 1NO1NC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	20	60

MPCB 3RV2011 1EA10 2.8 4Amps With Aux Block

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	6	60

MPCB 3RV2011 1JA20 7 10Amps With Aux Block

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	6	60

FIXED AND MOVING CONTACT FOR 3TF4702 OMB4ZA01 KIT 3TY7 470 OYA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	10	60

MPCB 3RV2031 4EA10 22 32A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	12	60

SENTRON Switch Discon 3LD Main Switch 3 Pole 32 A Power At 400 V 11.5 KW

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	6	60

MCB Single Pole 5SL4104 7RC 4A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	10	60

MCB Single Pole 5SL4106 7RC 6A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	10	60

Auxiliary Block 5ST3010AS 1NO1NC For MCB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	15	60

MCB 5SL52047RC 2POLE 400VDC 4A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	10	60

Power Contactor 3RT2037 1NP30 With 1NO1NC Block And With Add On Block 2NO2NC 3RH29111HA22

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	8	60

3RT2026 1AG20 Power Contactor 25 A 1NO 1NC Coil 110 V AC 50 60 Hz

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

3RT2025 1AG20 Power Contactor 17 A NO 1 NC Coil 110 V AC 50 60 Hz

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

3TF3110 0AFO Contactor 12 A AC 3 110 V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

3RH21221AFOO Contactor Relay 2 NO 2 NC 110 VAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

3TF4602 0APOZA01 2 Nos 3TY7561 1KA008k Coil Voltage 230V AC TP Air Break Contractor 45A Coil 230V 4NO4NC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	1	60

3TF3400 0APO 2 Nos 3TX4010 2A 3TX4001 2A Coil Voltage 230V AC Top Mounted Block 2NO2NC TP Air Break Contractor 32A Coil 230V 2NO2NC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	2	60

3TF3200 0APO 2 Nos 3TX4010 2A 3TX4001 2A Coil Voltage 230V AC Top Mounted Block 2NO2NC TP Air Break Contractor 16A Coil 230V 2NO2NC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	4	60

3TH3031 0APO 4 Nos 3TX4010 2A Coil Voltage 230V AC Top Mounted Block 7NO1NC Aux Contractor 10A Coil 230V 7NO1NC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sachin Kumar	172201,O AND M STORES NJHPS SJVN JHAKRI	4	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

4. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

ADDITIONAL TERMS & CONDITIONS

(A) Instructions to Bidders (ITB):-

Single Tender Enquiry is hereby invited under **two part bid** system through **GeM portal** from **M/s Siemens India** (i.e OEM of required items) **or their authorized dealer(s)** on behalf of SJVN Limited for **"Procurement of Siemens Make Components for the Different section of PHEM Department (Generator transformers, GIS, Generators & BV H Section) of NJHPS, Jhakri)** [Detailed complete Technical Specification and BOQ as per **Annexure -A** enclosed]

1.0 General Instructions

The SJVN Limited, hereinafter called "SJVN Ltd." / "Owner" is a Joint Venture of Govt. of India and Govt. of Himachal Pradesh having its registered office at Corporate Head Quarters, SJVN Ltd, Shakti Sadan, Shanan, Shimla, Himachal Pradesh Pin No.-1710 06, have their Nathpa Jhakri Hydroelectric Power Plant with a capacity of 6x250 MW at Nathpa (Distt. Kinnaur) and Jhakri (Distt. Shimla) in the State of Himachal Pradesh, India.

2.0 Plant Information

The 1500 MW Nathpa Jhakri Hydroelectric Power Plant is located between Nathpa (Distt. Kinnaur) and Jhakri (Distt. Shimla) in the State of Himachal Pradesh.

3.0 Communication and Transport Limitation

The Plant Site is located in the interior of Himachal Pradesh. The dam is located on the Sutlej River near village Nathpa in District Kinnaur. The underground powerhouse is located near village Jhakri in District Shimla. Shimla, the capital of the State of Himachal Pradesh is enroute about 150Km South-West from Jhakri. The distance by road from Jhakri to Nathpa upstream is about 45 Km (Approx.).

The rail head (broad gauge) is at Kalka (NR). Kalka is about 285 Km (Approx.) from Nathpa.

Approximate Distance from Kalka	To Mumbai	To Kolkata	To Chennai
(i) By Rail	1906	1809	2558
(ii) By Road	1753	1791	2482

The distance from Kalka to Delhi by road is 285 Km (approx.). From the Kalka rail head, the Project is approachable by the following roads/routes:-

(i)	Kalka - Dharampur - Solan - Shimla - Narkanda - Rampur - Jhakri - NH- 05).	:	235 Km (Approx.)
-----	--	---	------------------

(ii)	Kalka - Dharampur - Solan - Shimla - Dhalli - Basantpur - Rampur - Jhakri-	:	257 Km (Approx.)
(iii)	Kalka - Dharampur - Sabathu - Arki - Shalaghat - Dhami - Basantpur - Rampur - Jhakri-	:	342 Km (Approx.)

Transport Limitation

The transport limitation by road from Kalka to the Plant Site at Jhakri would be the governing factor in respect of the permissible package size and weight. Bidder should consider all factors as can be envisaged for transportation of equipment to avoid and overcome the hindrances/ limitations on existing road on account of weather conditions and any other reasons without affecting the schedule.

4.0 Minimum Qualifying Requirement:-

The bidder must be Original Equipment Manufacturer {i.e **M/s Siemens India**} or their authorized dealer(s).

In support of above, Bidder (s) shall submit the following:-

- (a) Copy of Authorization Certificate from OEM **M/s Siemens India**, if the bid is submitted by their authorized dealer(s).

Remarks:- OEM [i.e M/s Siemens India] or any authorized dealer (s) of OEM can participate in the tender, However in case where the Original Equipment Manufacturer has also submitted the bid along with authorized dealer (s), then bid of OEM shall be considered and bid (s) of authorized dealer (s) will not be considered and EMD will be returned.

5.0 Scope of Proposal

- 5.1 The scope of proposal includes the “ **Procurement of Siemens Make Components for the Different section of PHEM Department (Generator transformers, GIS, Generators & BVH Section) of NJHPS, Jhakri.**” detailed complete Technical Specification and BOQ as per Annexure -A enclosed and same shall be integral part of the contract.

- 5.2 **The material is to be transported through “Registered Common Carrier” only (Registered Common Carrier mean the carrier registered with a State Tr**

ansport Authority or a Regional Transport Authority).

- 5.3 The bidder shall be required to offer/quote their rates for entire scope of Supply including P&F, Freight & transit insurance charges inclusive of GST.

6.0 Quality Assurance Plan

- 6.1 **Quality Assurance Plan:** The QAP shall be as per Technical specification enclosed and as per relevant latest Indian/International Standard.

- 6.2 **Inspection:** Inspection of material shall be carried out as per technical specification by the SJVN/EIC or their authorized representative at Store, NJHPS, SJVN Ltd. Jharkhand.

7.0 Bid Security / Earnest Money deposit (EMD)

- 7.1 The bidder shall furnish, a bid security/ earnest money as part of the bid amounting to. **₹44,643/- (Rupees Forty-Four Thousand Six Hundred Forty Three only)**.

- 7.2 The bidder must also submit Bid Security Declaration along with their bid as per format specified in Annexure-B enclosed.

- 7.3 **EARNEST MONEY DEPOSIT/BID SECURITY EXEMPTION:-** The bidder seeking Earnest Money Deposit/Bid Security exemption, must submit the valid supporting document for the relevant category as per GeM GTC along with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from submission of Earnest Money Deposit/Bid Security. Traders are excluded from the purview of this Policy. **If the MSE/NSIC/Startup India certificate does not contain the item(s)/Services) as listed in our NIQ/NIT and no EMD is found submitted, then SJVN may ask the bidder to submit the EMD and the same should reach within ten (10) days from the date of SJVN's clarification sought through GeM, otherwise the bid shall be considered as non-responsive and price bid of such firms shall not be opened.**

Remarks: The exemption of the submission of the EMD shall be given to the MSE firm only after verification of their MSE registration on MSME Database {i.e. on website udyamregistration.gov.in} and Startup firm after verification of their registration on DPIIT website [i.e <https://www.startupindia.gov.in>]

- 7.4** The Bid Security/EMD shall be submitted/deposited ONLINE in SJVN account through NEFT/RTGS as per detail given below:

Beneficiary Name:	SJVN LTD O AND M ACCOUNT, Payable at SBI Jhakri
Account No:	11543142129
IFSC Code:	SBIN0006988
Bank Branch:	SBI Jhakri

Caution: Please ensure that you need to mention the correct beneficiary account number and IFSC code as mentioned above while making payment via RTGS / NEFT. In the event of funds remitted to wrong beneficiary account number, SJVN Limited or its Bank or its service provider would not responsible for the same.

- 7.5** The Bid Security/EMD through electronic fund transfer is to be credited in SJVN account before bid closing date as specified in the bidding document. The bidder shall also upload the supporting documents of EMD with transaction ref. no. along with the bid.

–

- 7.6** EMD /Bid security can also be submitted through FDR/TDR/BG(as per SJVN standard format).

–

- 7.7** **FDR/TDR/BG:** Please note that EMD (Earnest Money Deposit) / Bid Security in the form of **FDR/TDR {Pledged in favour of the NJHPS, SJVN Ltd. Jhakri} / BG {As per GeM standard format}** is also acceptable. In case EMD is submitted by way of Bank Guarantee; while issuing the physical BGs, the Supplier's/contractor's Bank shall also send electronic message through secure **SFMS** to Employer's/Buyer's Beneficiary Bank whose details are provided in **ATC ITB clause Sr. no 7.0(7.4) above**.

The bid security shall remain valid for a period of 45 days beyond the original validity period and beyond any extension subsequently requested. The FDR/TDR in original /physical form should reach preferably on or before bid closing date at the address given below:

Head of Department

(Procurement & Contract Department),
NJHPS, SJVN Ltd. Jhakri,
Distt. Shimla (H.P.)-172201

Remarks: - The EMD submitted in the form of DDs, local Cheque/ outstations Cheque will not be considered. If any bidders submitted EMD in the form of DDs, local Cheque/ outstations Cheque then SJVN may ask the bidder to submit the EMD as per clause no. 7.4 & 7.7 as above and the same should reach within ten (10) days from the date of SJVN's clarification through GeM, otherwise the bid shall be considered as non-responsive and price bid of such firms shall not be opened.

-
- 7.8** The bid security/ EMD and bid security exemption certificates shall remain valid for a period of 45 days beyond the original bid validity period and any extension subsequently requested. If the Bid security/ Exemption certificate is not found valid for 45 days beyond the original bid validity period and any extension subsequently requested, SJVN may ask the bidder to extend the validity of the Bid security/ Exemption certificate for a period up to 45 days beyond the original validity period or else submit the EMD/ Bid security. Such EMD/ bid security shall be submitted as per clause no. 7.4 & 7.7 as above and the same should reach within ten (10) days from the date of SJVN's clarification through GeM.
- 7.9** The bid securities of unsuccessful bidders will be returned as promptly as possible, but not later than thirty (30) days after the expiration of the bid validity period or after the opening of price bid whichever is earlier.
- 7.10** The bid security of the successful bidder will be returned when the bidder has furnished the required performance security.
- 7.11** No interest shall be payable by the Owner on the above Bid security.
- 7.12** The bid security may be forfeited
- (a) if the Bidder withdraws its bid during the period of bid validity specified by the Bidder in the Bid Form;
 - (b) if the Bidder does not accept the correction of its Bid Price;
 - (c) if the Bidder does not withdraw any deviations listed in Deviation Schedule

at the cost of withdrawal indicated by him;

- (d) if the Bidder refuses to withdraw, without any cost to the Owner, any deviation not listed in Deviation Schedule but found elsewhere in the bid; or
- (e) in the case of a successful Bidder, if the Bidder fails within the specified time limit;
 - (i) To accept the Letter of Award or
 - (ii) To furnish the required performance security.
 - (iii) To start activities according to Work Completion Schedule.

8.0 Bid Prices

- ▶ Unless otherwise specified in the Technical Specifications, Bidders shall quote for the entire supply on a "single responsibility" basis such that the total bid price covers all the supplier's obligations mentioned in or to be reasonably inferred from the bidding documents.
- ▶ Bidders are required to quote the price for the commercial, contractual and technical obligations outlined in the bidding documents.
- ▶ Bidders shall give the required details and breakup of their prices as per Schedules specified.
- ▶ The Prices quoted by the Bidder shall be **FIRM** during the performance of the contract and not subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non-responsive and rejected.

9.0 Bid Currencies

Bidders shall quote all prices in Indian Rupees only.

10.0 Bid Submission: The bid is called under two part system as under:-

A. Price Bid Part

- a. Bidder shall be required to offer/quote their rates for **entire scope of supply** as per detailed Technical specification uploaded along with the bid. **FIRM prices for FOR, O&M Stores Jhakri (HP, INDIA) basis is to be quoted inclusive of the charges towards P&F, Freight charges and Insurance charges including GST.**
- b. GST shall be applicable as per GST rules, thus GST has to be quoted accordingly by the bidder in the bid.
- c. Any other deduction like TDS etc as applicable under this contract as per the Govt. laws shall be made from the payment of the contractor and statement for the same shall be provided by SJVN.
- d. The taxes & duties shall be paid as per applicable rate at the time of delivery period of the material. Any increase in taxes & duties /new introduction of new taxes & duties/ levy by the Govt. shall be paid by SJVN Ltd. provided that such increase in taxes & duties /new introduction of new taxes & duties/ levy by the Govt. is made within delivery period as per LOA/GeM Contract, otherwise the same shall be paid by the bidders. Accordingly the taxes & duties shall be quoted by bidder.

B. Techno-commercial bid part which consist of following :

- (i) Authorization Certificate from Original Equipment Manufacturer {i.e **M/s Siemens India**} if the bid is submitted by their authorized dealer(s) as per ATC (ITB) clause No 4.0 above.
- (ii) Copy of GST Registration No. as per applicable under GST Act.
- (iii) Copy of PAN No.
- (iv) Bid Security Declaration form as per **Annexure-B** enclosed.
- (v) Pre- Contract Integrity Pact **Annexure-C** as per clause no. **12.0 below**
- (vi) Undertaking/Land border sharing **Annexure-D** as per clause No. **13.0 below**.
- (vii) TReDs registration details or undertaking as per clause ref. no **14.0 below** (**applicable only for MSE vendors**).

(viii) Undertaking as per **Annexure-E**.

- ▶ SJVN reserves the right to ask additional information if necessary after opening of the bid.
- ▶ The supply order for the same items/ copy of previous orders for similar items is to be submitted / uploaded for the price justification.
- ▶ The Owner further, reserves the right to reject any Bid which is not submitted according to the instructions stipulated above.

11.0 Corrupt or Fraudulent Practices

- A. It is expected from the bidders / Contractor and/or any of its personnel, or its agents, or its Sub-contractors, manufacturer, sub-consultants, services providers, suppliers and/or their employees that they will observe the high standard of ethics during the bidding process and execution of such Contracts. **For this purpose, the applicant shall sign the Integrity Pact as per clause 12.0 of ITB.**

a) For the purpose of this provision, the terms set-forth below shall mean as under:

- (i) "corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in Contract execution.
- (ii) "fraudulent practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract to the detriment of the Employer, and includes collusive practice among Applicants (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Employer of the benefits of free and open competition.

b) A Bid shall be rejected by the Employer if it is determined at any stage that respective bidders / Contractor and/or any of its personnel, or its agents, or its Sub-contractors, manufacturer, sub-consultants, services providers, suppliers and/or their employees has engaged in corrupt or fraudulent or collusive practices in competing for the Contract in question.

c) The Employer will declare a bidder / contractor ineligible or may terminate the co

ntract, either indefinitely or for a stated period of time, to be awarded a Contract if it at any time determines that the bidders / Contractor and/or any of its personnel, or its agents, or its Sub-contractors, manufacturer, sub-consultants, services providers, suppliers and/or their employees has engaged in corrupt or fraudulent or collusive practices in competing for or in executing the Contract in question.

12.0 Adoption of Integrity Pact [ANNEXURE-C Enclosed]:

To improve transparency and fairness in the tendering process the Employer is implementing Integrity Pact. Integrity Pact is deemed as part of the contract so that the prospective bidders are bound by its provisions.

The Integrity Pact, signed by all the prospective Bidders and the Employer, shall commit the persons/officials of both the parties, not to exercise any corrupt /fraudulent/collusive/coercive practices in the Tendering process and also during implementation of the Contract. Only those Bidders who have entered into Integrity Pact with the Employer shall be eligible to participate in the bidding process. Bidders signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

Entering into Integrity Pact as per Proforma (enclosed in **ANNEXURE-C**) is a basic qualifying requirement. In case of JV, each partner of JV shall sign Integrity Pact with the Employer. In case of sub-contracting, the Principal contractor shall be responsible for adoption of Integrity Pact by the sub-contractor.

To oversee the compliance of obligation under the Integrity Pact, a panel of Independent External Monitor(s) (IEMs) have been appointed by concerned authority. The Contact addresses of IEMs is as under:

1. Sh. Devendra Verma , ISS (Retd.)
604, Tower-14, Purvanchal Royal City, Chi V,
Greater Noida, G.B. Nagar(UP)-201310
Email: verma.davendra@gmail.com
2. Sh. Prashanta Kumar Agrawal, IPS (Retd.)
House no. 762, Sector-17,
Faridabad (HR)- 121002
Email- agrawal.prashanta@gmail.com

All pages of the Integrity pact to be signed between SJVN Ltd. and the bidders / co

Contractors on plain papers at the time of submission of bid as per the approved format. The Integrity Pact shall be duly signed on behalf of the employer (SJVN Ltd.) is given in forms & procedure of these bid documents. Signed copy of the Integrity Pact is to be included in the bid document while issuing Tender Document / uploading the tender documents on the Portals. The integrity pact shall be downloaded, printed and signed by bidder on each page. The scanned copy of duly signed Integrity Pact shall be uploaded by the bidder along with the bid.

Further following may also be noted:-

IP is deemed as part of the contract so that the parties concerned are bound by its provisions.

Failure to sign the integrity pact by applicant shall be liable to outright rejection of application / bid.

The successful bidder (Contractor) shall submit duly executed Integrity Pact on Non-judicial Stamp Paper of Rs 100/- within 15 days from the date of issue of LOA

13.0 RESTRICTIONS IMPOSED BY GOVT OF INDIA:

Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority specified in Annexure-I of Ministry of Finance, Government of India order no F. No. 6/18/2019-PPD dated 23.07.2020 and various amendment/clarification issued in this regard. The bidders for the purpose of compliance and its procedure for registration from Competent Authority etc. The bidder has to submit the undertaking as per **Annexure- D** regarding compliance of above-mentioned order. In case the undertaking given by the bidder whose tender has been accepted by the Employer is found false at the later stage, this would be a ground for immediate termination and further legal action shall be taken in accordance with law.

14.0 Mandatory Registration on TReDS portal for MSME Vendors:-

TReDS is an electronic platform for facilitating the financing / discounting of trade receivables of Micro, Small and Medium Enterprises (MSMEs) through multiple financiers. It addresses the issue of delayed payments to MSMEs. These receivables can be due from corporates and other buyers, including Government Departments and Public Sector Undertakings (PSUs). It is mandatory for all CPSEs to register themselves and ensure mandatory onboarding of MSE vendors on TReDS portal.

There are three TReDS platforms which are presently operational in India. Receivables Exchange of India Ltd (RXIL), M1xchange and Invoicemart. Currently SJVN Ltd. is trans

acting with M1xchange and Invoicemart TReDS platforms only. MSE vendors can avail this benefit by registering themselves with any of the exchanges providing e –discounting /electronic factoring services on TReDS platform and following the procedures defined therein.

Therefore, all MSEs Vendors in their own interest are hereby requested to register themselves on TReDS portal .**The contract shall be awarded to eligible MSE bidders only if they get themselves registered on TReDs portal.** Therefore, the bidder shall submit the TReDS registration details along with their bid or else can also submit an undertaking on their letterhead that “ **it is confirmed that our firm shall get registered on TReDS if found L-1 before placement of order**” along with their bid. The MSE bidders shall have to ensure registration on TReDS portal and submit documentary evidence before award of contract failing which contract shall not be awarded.

15.0 BILL TRACKING SYSTEM:

Prior to the submission of the bills in physical form, supplier shall submit the bills in SJVN vendor bill tracking portal available in SJVN official website <https://www.sjvn.nic.in> under quick link section. Further, supplier may track the status of bills online through Vendor Bill tracking system. In order to use this system, a user manual for supplier is available under Vendor bill tracking system section. Supplier is required to enter the user ID, password and OTP (one-time password) for every log in. The user ID and password shall be obtained from the concerned department of SJVN Ltd. However, the OTP will be received to the supplier in the registered mobile number provided by supplier to the concerned department. Once the supplier has received its username and password from the concerned department, supplier shall follow the below mentioned steps:

- Once supplier received the user ID and password from the concerned department, the supplier can log in to vendor bill tracking system with the user ID, password and OTP.
- After Log in, supplier shall enter the details required in the vendor portal screen, and submit the invoice specifically to the concerned SJVN official's email ID (abcd@sjvn.nic.in), after submission a unique VITMS number (Reference Number) will be generated and supplier will receive an automated unique VITMS number (Reference Number) both in its registered email ID and mobile number.
- On receipt of the physical bill, concerned SJVN official shall online acknowledge the receipt of the bill. All the actions taken by the concerned officials of SJVN can be easily be tracked in the “Invoice Status Section” by supplier.
- After the final payment, vendor can download the details of the payment under check forwarding details section on the Invoice upload and track screen.

(B) GENERAL CONDITIONS OF CONTRACT (GCC)

1.0 Definitions

In this Contract, the following terms shall be interpreted as indicated:

- (a) **"The Contract"** means the Contract Agreement entered between the Owner and the Contractor, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) **"The Contract Price"** means the price payable to the Contractor under the Contract for the full and proper performance of its contractual obligations.
- (c) **"The Services"** means all those services necessary for the completion of the work, including testing and any other incidental services etc. and other such obligations of the Contractor covered under the Contract".
- (d) **"The Owner"** means the **SJVN Limited**.
- (e) **"The Contractor"** means the individual or firm supplying the material/carrying out the work under this Contract.
- (f) **"Corrupt Practice"** means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- (g) **"Fraudulent Practice"** means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Owner and includes collusive practice among Bidders (prior to or after Bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Owner of the benefits of free and open competition".

- 1.1 CONTRACT PERFORMANCE SECURITY:** Within **Twenty Eight (28) days** of receipt of the notification of Contract award i.e. from the date of issue of LOA/GeM Contract, the successful Bidder shall furnish to the Owner, an unconditional performance security for **Five percent (5%)** of the contract Price with validity up to **60 days after the Warranty Period (Refer Clause 5.0)**.

1.2 The proceeds of the performance security shall be payable to the Owner as compensation for any loss resulting from the Contractor's failure to complete its obligations under the Contract. The GST as per applicable shall be attributable to the Contractor.

1.3 The performance security shall be denominated in the currency of the Contract and shall be in the form of Bank Guarantee (**As per the SJVN format enclosed at Annexure-F/As per the Standard Format of GeM**) issued preferably by a nationalized bank/ scheduled bank as per RBI guidelines, acceptable to the Owner or in the form of FDR/TDR or online bank transfer in SJVN account(As per bank account detail given below:-

Beneficiary Name:	SJVN LTD O AND M ACCOUNT, Payable at SBI Jhakri
Account No:	11543142129
IFSC Code:	SBIN0006988
Bank Branch:	SBI Jhakri

Caution: Please ensure that you need to mention the correct beneficiary account number and IFSC code as mentioned above while making payment via RTGS / NEFT. In the event of funds remitted to wrong beneficiary account number, SJVN Limited or its Bank or its service provider would not be responsible for the same.

1.4 In case CPG is submitted by way of Bank Guarantee; while issuing the physical BGs, the Supplier's/contractor's Bank shall also send electronic message through secure SFMS to Employer's/Buyer's Beneficiary Bank whose details are provided as above.

1.5 The performance security will be discharged by the Owner and returned to the Contractor not later than sixty (60) days after expiry of guarantee/warranty period of all the material /works under the scope of the contract.

1.6 In case any delay in the submission of CPG, Interest shall be charged on per day basis on the amount of CPG@SBI MCLR as on date of bid submission + 200 basis point.

- 1.7** The MSE/ NSIC/Start Up registered firms are not exempted from the submission of the Contract Performance Security.

2.0 Packing:-

The bidder shall provide such packing to the goods as is required to prevent damage or deterioration during transit to their final destination. No extra amount shall be paid by SJVN on this account.

3.0 INSURANCE:-

The goods to be supplied under the scope of the supply shall be insured for all risks **Transit/Marine Insurance** by the contractor till it is delivered at O&M Store, NJHPS, SJVN Ltd., Jhakri (H.P.) INDIA. No extra amount shall be paid by SJVN on this account.

The Insurance should be done strictly as per the contract and consignee/EICs should take up the matter with the Supplier /contractor by writing e-mail immediately after the award to take insurance cover as per tender and Insurance policy should be shared with consignee through e-mail (mmg.njhps@sjvn.nic.in) before the dispatch of the material and material shall be only permitted for dispatch if the Insurance Policy is as per contract requirements. SJVN shall give comments regarding acceptance of Insurance Policy within two (02) working days after the receipt of same through e-mail.

If the Supplier does not take the above insurance cover in part or full as per tender conditions, then penalty @ 1% of total contract price FOR Jhakri including taxes & duties shall be imposed for contracts in which the payment is to be made after the supply of the material, otherwise above insurance compliance is to be ensured in case advance payment in part or full is to be made.

In case any short value insurance, the penalty shall be imposed on pro-rate basis based on the insurance receipt submitted by the contractor.

4.0 WARRANTY:-

The material under the scope of supply shall be under Warranty for a period of 12 months from the date of receipt of the material at O&M Store, NJHPS, SJVN Ltd Jhakri, against any manufacturing defect/ defective material. In case of any defects found during the warranty period same should be replaced by the supplier at site SJVN Ltd. Jhakri free of cost as per notification of SJVN.

Copy/scanned copy of Warranty certificate issued on letter head of supplier

r to be sent by post/through authorized e-mail of supplier as per PO/GeM Contract.

5.0 FORCE MAJEURE

5.1 The firm shall not be liable for loss or damage to SJVN resulting from any delays or failure to make shipment to Jhakri site within schedule time for all or any part of the item due to the act of God, war declared or undeclared, acts of public enemy, riots, civil commotion, invasion, insurrection, sabotage, acts of restraint of Government, federal, state or municipal action or regulation, fire, flood, hurricanes, accidents, epidemic, quarantine, restrictions, or any failure on the part of the Owner or his representative to approve or comments on drawings or other causes, contingencies or circumstances not subject to their control, whether of a similar or dissimilar nature which prevents the Contractor from completion of work. Any such cause or delays even though not existing on the date of the contract on or the date of start of work shall extend the time of performance automatically by length of delays occasioned thereby, including delay reasonably incidental to the resumption of normal reclamation work even though such case may occur after performance of firm's obligation has been delayed for the other causes.

5.2 If a Force Majeure situation arises, the Contractor shall promptly notify the Owner in writing of such condition and the cause thereof. Unless otherwise directed by the Owner in writing, the Contractor shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

6.0 PAYMENT TERMS

6.1 100% payment along with 100% taxes and duties shall be made within 10 days after the receipt of complete material at site O&M Stores, NJHPS, SJVN, Jhakri on generation of CRAC(Consignee Receipt and Acceptance Certificate) and on submission of following documents to consignee for the release of the payment:-

- (i) Invoices in triplicate.
- (ii) Warranty Certificate as per GCC Clause No. 4.0 above.
- (iii) Inspection report issued by indenting deptt. or their authorized representative as per ITB Clause no. 6.2 above.
- (iv) Copy of GST No. & PAN No.
- (v) Insurance Policy as per GCC Clause no. 3.0 above.
- (vi) Copy of GR duly acknowledged at NJHPS, SJVN Ltd. Jhakri by indenting Dept. or their authorized representative or consignee, for receiving of material in good condition.
- (vii) E-way bills (as per applicable Rules).
- (viii) Copy of signed Integrity Pact.

6.2 As per SJVN Ltd. policy, no advance payment can be given.

6.3 In order to comply with necessary formalities under GST while making payments, computation tax, invoicing, filing of returns etc. under Notification No 10/2017, Chapter 'I, 46 tax invoice' invoice for goods and services to contain following particulars namely -

- a) Name, Address & GSTIN of the Supplier
- b) Specific Invoice Number format
- c) Name and address of recipient
- d) Address of Delivery
- e) HSN code of goods and SAC for Services
- f) Name and quantity of goods/services
- g) Value of goods
- h) Rate and amount of tax
- i) Other prescribed information Name, Address & Contact Details (Tel. no. etc.) of the Service Provider

6.4 TAX DEDUCTION AT SOURCE UNDER GST/IT Act: SJVN shall be entitled to make all deduction towards taxes from the payments to be made to the contractor as may be mandatory as per rules under GST/IT Act. However SJVN shall give a statement in respect of such deductions to the contractor.

7.0 DELIVERY PERIOD:-

The basic consideration and the essence of the Contract shall be the strict adherence to the Delivery Schedule. The entire scope of the material is to be delivered at O&M Stores, NJHPS, SJVN Ltd., Jhakri within **60 days** from the date of the issue of GeM Contract.

8.0 LIQUIDATED DAMAGES:-

8.1 If the Supplier/contractor fails to complete the delivery of the entire scope of material {i.e. at O&M, Store, NJHPS, SJVN Ltd. Jhakri} within the period(s) specified in the Contract, the Owner shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as Liquidated Damages, as specified here in below,

8.2 The Liquidated Damage for delay in delivery of the material beyond the maximum delivery period as stipulated at **clause 7.0** above shall be @ 1/2% (Half percent) per week or part thereof of total Contract Price. The total amount of Liquidated Damages for delay under the Contract will be subject to a maximum of ten percent (10%) of the total Contract price.

8.3 Amount of Penalty shall be payable by the Contractor whenever demanded by the Owner and/ or Owner can recover the amount of Penalty (to the extent leviable at any time) from the amount payable to the Contractor available with Owner under this Contract.

8.4 Contractor's obligations and the Owner's remedies in respect of delay are solely and exclusively as stated in this Penalty clause subject to provisions of Clause **10.0** and consequence thereof.

9.0 TERMINATION OF CONTRACT ON CONTRACTOR'S DEFAULT

9.1 The Owner, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Contractor, may terminate this Contract in whole or in part:

- a) If the Contractor fails to complete any part of the work or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Owner.
- b) If the Contractor fails to perform any other obligation(s) under the Contract.
- c) If the Contractor, in the judgment of the Owner has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

9.2 In the event the Owner terminates the Contract in whole or in part, the Owner may procure / get repaired, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered / un-repaired, and the Contractor shall be liable to the Owner for any excess costs for such similar Goods or Services. However, the Contractor shall continue performance of the Contract to the extent not terminated.

10.0 TERMINATION FOR INSOLVENCY

The Owner may at any time terminate the Contract by giving written notice to the Contractor if the Contractor becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Contractor, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Owner.

11.0 TERMINATION OF CONTRACT ON OWNER'S INITIATIVE

- 11.1** The Owner reserves the right to terminate the Contract either in part or in full due to reasons other than those mentioned under clause entitled "Contractor's Default" and "Outbreak of War". The Owner shall in such an event give seven (7) days notice in writing to the Contractor of his decision to do so.
- 11.2** The Contractor upon receipt of such notice shall discontinue the work on the date and to the extent specified in the notice, make all reasonable efforts to obtain cancellation of all orders and contracts to the Owner, stop all further sub-contracting or purchasing activity related to the work terminated, and assist the Owner in storage, maintenance, protection, and disposition of the works acquired under the contract by the Owner.
- 11.3** In the event of such a termination, the Contractor shall be paid equitable and reasonable compensation, as dictated by the circumstances prevalent at the time of termination.

12.0 SETTLEMENT OF DISPUTES

- 12.1** Any dispute(s) or difference(s) arising out of or in connection with the Contract shall, to the extent possible in the first instance be resolved amicably between the Contractor and the Owner's Engineer.
- 12.2** If any dispute or difference of any kind whatsoever shall arise between the Owner and the Contractor, arising out of the Contract for the performance of the Works whether during the progress of the Works or after its completion or whether before or after the termination, abandonment or breach of the Contract, it shall, in the first place, be referred to and settled by the Engineer, who within a period of ten (10) days after being requested by either party to do so, shall give written notice of his decision to the Owner and the Contractor.
- 12.3** Save as hereinafter provided, such decision in respect of every matter so referred shall be final and binding upon the parties until the completion of the entire work under the Contract and shall forthwith be given effect to by the Contractor who shall comply with all such decisions, with all due diligence, whether he or the Owner requires arbitration as hereinafter provided or not.
- 12.4** If after the Engineer has given written notice of his decision to the parties, no claim to arbitration has been communicated to him by either party within ten (10) days from the receipt of such notice, the said decision shall become final and binding on the

parties.

- 12.5** In the event of the Engineer failing to notify his decision within ten (10) days after being requested as aforesaid or in the event of either the Owner or the Contractor being dissatisfied with any such decision, or within ten (10) days after the expiry of the first mentioned period of ten (10) days, as the case may be, either party may require, by written notice to the other party, that the matters in dispute be referred to arbitration as hereinafter provided.

13.0 ARBITRATION (With Pvt. Party)

- 13.1** All disputes or differences in respect of which the decision, if any, of the Engineer has not become final or binding as aforesaid shall be settled by arbitration in the manner hereinafter provided.

- 13.2** In the event of the Contractor, that is to say a citizen and/or a permanent resident of India, a firm or a company duly registered or incorporated in India, the arbitration shall be conducted by three arbitrators, one each to be nominated by the contractor and the Owner and the third to be named by the President of Institution of Engineers, India. If either of the parties fails to appoint its arbitrator within thirty (30) days after receipt of a notice from the other party invoking the arbitration clause, the President of the Institution of Engineers, India shall have the power at the request of either of the parties, to appoint the arbitrators. A certified copy of the said President making such an appointment shall be furnished to both the parties.

- 13.3** The arbitration shall be conducted in accordance with the provisions of the Arbitration & Conciliation Act, 1996 or any statutory modification thereof.

- 13.4** Arbitration(s) shall give reasoned award.

- 13.5** The decision of the majority of the arbitrators shall be final and binding upon the parties. The expenses of the arbitration shall be paid as may be determined by the arbitrators. The arbitrators may, from time to time with the consent of all the parties enlarge the time for making the award. In the event of any of the aforesaid arbitrators dying, neglecting, resigning or being unable to act for any reason, it will be lawful for the party concerned to nominate another arbitrator in place of the outgoing arbitrator.

- 13.6** The arbitrator shall have full powers to review and/or revise any decision, opinion, directions certification or valuation of the Engineer in consonance with the contract.

14.0 ARBITRATION (WITH CPSEs): Not Applicable

15.0 LIMITATION OF LIABILITY

Except in cases of criminal negligence or willful misconduct,

- a)** the Contractor shall not be liable to the Employer, whether in contract, to tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Contractor to pay liquidated damages to the Employer and
- b)** the aggregate liability of the Contractor to the Employer, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the Contractor to indemnify the Employer with respect to patent infringement.

16.0 APPLICABLE LAW:

- 16.1** The Contract shall be governed by and interpreted in accordance with the laws in force in India. The courts of Shimla /Rampur Bushahr shall have exclusive jurisdiction in all matters arising under the Contract.

17.0 NOTICES

- Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or facsimile and confirmed in writing to the other party's address specified in NIT/NIQ.
- A notice shall be effective when delivered or on the notice's effective date, whichever ever is later.

18.0 CONSIGNEE:-

The Goods under this Contract shall be dispatched to the Consignee at the following address:-

DGM (MMG Deptt.)

Nathpa Jhakri Hydro Power Station,

SJVN Ltd., Jhakri, Distt. Shimla (HP)

Pin-172001 (INDIA)

Remarks:- All post award communication regarding delivery of material, release of payment etc. is to be carried out with consignee at above contact information.

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless

otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---